IN THE CLAIMS:

What is claimed is:

Claims 1-27 (Canceled)

- 28. (Original) A method for treating navicular syndrome in a horse comprising topically administering to the a horse a formulation comprising:
- (a) about 0.1% to about 5% diclofenac; and
- (b) about 0.5% to about 20% phospholipids; whereby navicular syndrome in the horse is treated.
- 29. (Original) The method of claim 28, wherein the formulation further comprises about 0.1% to about 10% vitamin E.
- 30. (Original) The method of claim 28, wherein the formulation further comprises about 1% to about 20% alkylane glycol; and about 1% to about 50% (C_1 - C_6) alcohol.
- 31. (Original) The method of claim 28, wherein the formulation comprises:
 - (a) about 1% diclofenac salt,
 - (b) about 5% propylene glycol,
 - (c) about 6% ethanol,
 - (d) about 1% vitamin E acetate,
 - (e) about 10% phospholipid, and
 - (f) about 77% water.
- 32. (Original) The method of claim 28, wherein the formulation comprises about 2 to about 10 micron liposomes.
- 33. (Original) The method of claim 28, wherein the formulation is topically administered twice daily.
- 34. (Original) The method of claim 28, wherein about 20 mg to about 120 mg of diclofenac is applied as a single dose to the horse.
- 35. (Original) The method of claim 28, wherein about 70 mg to about 80 mg of diclofenac is applied as a single dose to the horse.
- 36. (Original) The method of claim 33, wherein two doses per day are applied to the horse for at least about three days.

- 37. (Original) The method of claim 29, wherein the vitamin E is a C₂-C₆ ester of vitamin E.
- 38. (Original) The method of claim 29, wherein the vitamin E is vitamin E acetate.
- 39. (Original) The method claim 28, wherein the diclofenac is a diclofenac salt.
- 40. (Original) The method of claim 30, wherein the alkylane glycol is propylene glycol.
- 41. (Original) The method of claim 30, wherein the C_1 - C_6 alcohol is ethanol.